

## Publication list of Kenji Okuda

1. OKuda K, Wada Y, Shimada M. Recent Developments in Preclinical DNA Vaccination Vaccines 2014; 2(1), 89-106.
2. Shimada M, Abe S, Takahashi T, Shiozaki K, Okuda M, Mizukami H, Klinman DM, Ozawa K, Okuda K. Prophylaxis and treatment of Alzheimer's disease by delivery of an adeno-associated virus encoding a monoclonal antibody targeting the amyloid Beta protein. PLoS One.: 2013;8(3):e57606. Epub 2013.
3. Akatsu H, Iwabuchi N, Xiao JZ, Matsuyama Z, Kurihara R, Okuda K, Yamamoto T, Maruyama M. Clinical effects of probiotic Bifidobacterium longum BB536 on immune function and intestinal microbiota in elderly patients receiving enteral tube feeding. JPEN J Parenter Enteral Nutr.: 2013 Sep;37(5):631-40. Epub 2012.
4. Shoji M, Yoshizaki S, Mizuguchi H, Okuda K, Shimada M. Immunogenic comparison of chimeric adenovirus 5/35 vector carrying optimized human immunodeficiency virus clade C genes and various promoters. PLoS One.: 2012;7(1) e30302. Epub 2012.
5. Shimada, M., Yoshizaki, S., Jounai, N., Kondo, A., Ichino, M., Ryo, A., Okuda K. DNA vaccine expressing HIV-1 gp120/immunoglobulin fusion protein enhances cellular immunity. Vaccine, 2010;28(31):4920-7.
6. Yashima S, Yoshizaki S, Shinoda K, Yoshida A, Kondo A, Mizuguchi H, Ryo A, Okuda K, Shimada M. Co-administration of viral vector-based vaccines suppresses antigen-specific effector CD8 T cells. Vaccine. 2010;28(18):3257-64.
7. Wang HB, Kondo A, Yoshida A, Yoshizaki S, Abe S, Bao LL, Mizuki N, Ichino M, Klinman D, Okuda K, Shimada M. Partial protection against SIV challenge by vaccination of adenovirus and MVA vectors in rhesus monkeys. Gene Ther. 2010 ;17(1):4-13.
8. Yashima S, Yoshizaki S, Shinoda K, Yoshida A, Kondo A, Mizuguchi H, Ryo A, Okuda K, Shimada M. Co-administration of viral vector-based vaccines suppresses antigen-specific effector CD8 T cells. Vaccine. 19;28(18):3257-64.
9. Wang HB, Kondo A, Yoshida A, Yoshizaki S, Abe S, Bao LL, Mizuki N, Ichino M, Klinman D, Okuda K, Shimada M. Partial protection against SIV challenge by vaccination of adenovirus and MVA vectors in rhesus monkeys. Gene Ther. 2010 ;17(1):4-13.
10. Kobiyama K, Takeshita F, Ishii KJ, Koyama S, Aoshi T, Akira S,

- Sakaue-Sawano A, Miyawaki A, Yamanaka Y, Hirano H, Suzuki K, Okuda K. A signaling polypeptide derived from an innate immune adaptor molecule can be harnessed as a new class of vaccine adjuvant. *J Immunol.* 2009 ;182(3):1593-1601.
11. Ura T, Yosida A, Xin K.Q., Yashima S., Abe S., Mizuguchi H. and Okuda K.: Designed envelope-specific CD8+ cytotoxic T lymphocytes and cross-reactive neutralizing antibodies against human immunodeficiency virus type 1. *J.Gene Med.* 2009 11(2):139-149.
  12. Shimada, M., Wang, H-B., Ino, A., Xu, X-P., Yoshida, A., Ura, T., Mizuguchi, H .Klinman, D., Luo, J-L., Bai, H., Okuda, K. Effect of therapeutic immunization using Ad5/35 and MVA vectors on SIV-infection of rhesus monkeys undergoing anti-retroviral therapy. *Gene Ther.* 2009;16(2): 218-228.
  13. Takeshita F., Kobiyama K., Miyawaki A., Jounai N. and Okuda K: The non-canonical role of Atg family members as suppressors of innate antiviral immune signaling. *Autophagy*, 2008, 4, 1-4.
  14. Ohba K., Yoshida S., Zahidunnabi Dewan M., Shimura H., Sakamaki N., Takeshita F., Yamamoto N. and Okuda K: Mutant influenza A virus nucleoprotein is preferentially localized in the cytoplasm and its immunization in mice shows higher immunogenicity and cross-reactivity. *Vaccine*, 2007,25: 3186-3197.
  15. Jounai N., Takeshita F., Kobiyama K., Sawano A., Miyawaki A., Xin KQ., Ishii J.K., Kawai T., Akira S., Suzuki K. and Okuda K: The Age5-Age12 Conjugate Associates with Innate Anti viral Immune Responses. *Proc.Nat.Acad.Sci.*,2007, 104(35), 14050-1455.
  16. Someya K., Xin K.Q., Ami Y., Izumi Y., Mizuguchi H., Ohta S., Yamamoto N., Honda M., Okuda K: Chimeric adenovirus type 5/35 vector encoding SIV gag and HIV env genes affords protective immunity against the simian/human immunodeficiency virus in monkeys. *Virology* 2007, 367(11), 390-397.
  17. Saha S., Takeshita F., Matsuda T., Jounai N., Kobiyama K., Matsumoto T., Sasaki S., Yoshida A., Xin KQ., Klinman DM., Uematsu S., Ishii KJ., Akira S., and Okuda K. Blocking of the TLR5 activation domain hampers protective potential of DNA vaccine targeting flagellin. *J. Immunol.*, 2007,179(2), 1147-1154.
  18. Xin, K.Q., Sekimoto, Y., Takahashi, T., Mizuguchi, H., Ichino, M., Yoshida, A. & Okuda, K. Chimeric adenovirus 5/35 vector containing the clade C HIV gag gene induces a cross-reactive immune response against HIV. *Vaccine* 2007,25(19),3809-15.

19. Kojima, Y., Jounai, N., Takeshita, F., Nakazawa, M., Okuda, K., Watabe, S., Xin, K.Q. The degree of apoptosis as an immunostimulant for a DNA vaccine against HIV-1 infection. *Vaccine* 2007, 25(3), 438-445.
20. Watanabe K., Sonoda T., Miyagi Y., Yamashita T., Okuda K., Kawamoto S. The synaptic scaffolding protein Delphinline interacts with monocarboxylate transporter 2. *NeuroReport* 2007, 18, 489-493.
21. Someya K., Xin K.-Q., Nakasone T., Ami Y., Izumi Y., Mizuguchi H., Ohta S., Yamamoto N., Honda M. & Okuda K. (2006) Positive anti-viral immunity is elicited by priming macaques with human immunodeficiency virus(HIV) env and simian immunodeficiency virus (SIV) gag plasmid DNAs and boosting with recombinant chimeric adenovirus type 5 with type 35 (Ad5/35) fiber. *J Virol*, 80, 2005-2013.
22. Urabe M., Nakakura T., Xin K.Q., Obara Y., Mizukami H., Kume A., Kotin R.M. & Ozawa K. (2006) Scalable generation of high-titer recombinant adeno-associated virus type 5 in insect cells. *J Virol*, 80, 1874-85.
23. Takeshita F., Tanaka T., Matsuda T., Tozuka M., Kobiyama K., Saha S., Matsui K., Ishii K.J., Coban C., Akira S., Ishii N., Suzuki K., Klinman D.M., Okuda K. & Sasaki S. (2006) Toll-like receptor adaptor molecules enhance DNA-raised adaptive immune responses against influenza and tumors through activation of innate immunity. *J Virol*, 80, 6218-24.
24. Someya K., Ami Y., Nakasone T., Izumi Y., Matsuo K., Horibata S., Xin K.Q., Yamamoto H., Okuda K., Yamamoto N. & Honda M. (2006) Induction of positive cellular and humoral immune responses by a prime-boost vaccine encoded with simian immunodeficiency virus gag/pol. *J Immunol*, 176, 1784-95.
25. Shinoda K., Xin K.Q. & Okuda K. (2006) A modified HIV challenge assay in mice by using luciferase-expressing vaccinia virus. *Vaccine*, 24, 2751-4.
26. Saha S., Takeshita F., Sasaki S., Matsuda T., Tanaka T., Tozuka M., Takase K., Matsumoto T., Okuda K., Ishii N., Yamaguchi K., Klinman D.M. & Xin K.Q. (2006) Multivalent DNA vaccine protects mice against pulmonary infection caused by *Pseudomonas aeruginosa*. *Vaccine*, 24, 6240-9.
27. Saha S., Yoshida S., Ohba K., Matsui K., Matsuda T., Takeshita F., Umeda K., Tamura Y., Okuda K., Klinman D., Xin K.-Q. & Okuda K. (2006) A fused gene of nucleoprotein (NP) and herpes simplex virus genes (VP22) induces highly protective immunity against different subtypes of influenza virus. *Virology*, 354, 48-57.
28. Oomura K., Xin K.Q., Takakura M., Shinoda K., Jounai N. & Okuda K. (2006) Oral administration of the adenovirus vector induces systemic immunity

- rather than intestinal mucosal immunity. *Vaccine*, 24, 1045-1046.
29. Matsuda R., Bostrom A.C., Fredriksson M., Fredriksson E.L., Bratt G., Hejdeman B., Sandstrom E., Okuda K. & Wahren B. (2006) Human immunodeficiency virus-type 1 specific cellular immunity in chronic infected patients on prolonged highly active antiretroviral treatment and on structured treatment interruption. *Microbiol Immunol*, 50, 629-635..
30. Yokoo N., Saito T., Uesugi M., Kobayashi N., Xin K.-Q., Okuda K., Mizukami H., Ozawa K. & Koshino T. (2005) Repair of articular cartilage defect by autologous transplantation of basic fibroblast growth factor gene-transduced chondrocytes with adeno-associated virus vector. *Arthritis Rheum*, 52, 164-70.
31. Yamashita T., Miyagi Y., Ono M., Ito H., Watanabe K., Sonoda T., Tsuzuki K., Ozawa S., Aoki I., Okuda K., Mishina M. & Kawamoto S. (2005) Identification and characterization of a novel Delphilin variant with an alternative N-terminus. *Brain Res Mol Brain Res*, 141, 83-94.
32. Xin K.-Q., Ohta S., Jounai N. & Okuda K. (2005) Comparison of antigen-specific cellular immune responses between individual PBMCs and splenocytes. *Vaccine*, 23, 2954-5.
33. Xin K.-Q., Jounai N., Someya K., Honma K., Mizuguchi H., Hayakawa T., Hamajima K., Saha S., Takeshita F., Okuda K., Honda M., Klinman D.M. & Okuda K. (2005) Prime-boost vaccination with plasmid DNA and a chimeric adenovirus type 5 vector with type 35 fiber induces persistent protective immunity against HIV. *Gen Ther*, 12, 1769-77.
34. Tamura Y., Hamajima K., Matsui K., Yanoma S., Narita M., Tajima N., Xin K.-Q., Klinman D. & Okuda K. (2005) The F(ab')2 fragment of an Ab-specific monoclonal antibody reduces Ab-deposits in the brain. *Neurobiol Dis*, 20, 541-9.
35. Takeshita F., Ishii K.J., Kobiyama K., Kojima Y., Coban C., Sasaki S., Ishii N., Klinman D. M., Okuda K., Akira S. & Suzuki K. (2005) TRAF4 acts as a silencer in TLR-mediated signaling through the association with TRAF6 and TRIF. *Eur. J. Immunol.*, 35, 2477-785.
36. Takakura M., Okuda K., Matsuda T., Takeshita F., Takakura H., Ikezawa Z. & Xin K.Q. (2005) Combination of DNA vaccine and adenovirus vector by cutaneous administration induced strong HIV-specific cellular immune responses in mice. *Vaccine*, 23, 847-8.
37. Takakura M., Takeshita F., Aihara M., Xin K.Q., Ichino M., Okuda K. & Ikezawa Z. (2005) Hyperproduction of IFN-gamma by CpG oligodeoxynucleotide-induced exacerbation of atopic dermatitis-like skin

- lesion in some NC/Nga mice. *J Invest Dermatol*, 125, 1156-62.
38. Someya K., Cecilia D., Ami Y., Nakasone T., Matsuo K., Burda S., Yamamoto H., Yoshino N., Kaizu M., Ando S., Okuda K., Zolla-Pazner S., Yamazaki S., Yamamoto N. & Honda M. (2005) Vaccination of rhesus macaques with recombinant mycobacterium bovis calmette-guerin env V3 elicits neutralizing antibody-mediated protection against simian-human immunodeficiency virus with a homologous but not a heterologous V3 motif. *J Virol.*, 79, 1452-62.
39. Shen Y., Ichino m., Nakazawa M., Ikejima T., Kojima Y., Okuda K. & Minami M. (2005) Therapeutic effect of CpG-enriched plasmid administration on the tight-skin mouse model of scleroderma. *J Autoimmune*, 24, 183-90.
40. Ozaki T., Yauchi M., Xin K.-Q., Hirahara F. & Okuda K. (2005) Cross reactive protection against influenza A virus by a topically applied DNA vaccine encoding M gene with adjuvant. *Viral Immunol*, 18, 373-80.
41. Hiraide A., Yokoo N., Xin K.-Q., Okuda K., Mizukami H., Ozawa K. & Saito T. (2005) Repair of articular cartilage defect by intra-articular administration of basic fibroblast growth factor gene using the adeno-associated virus vector. *Hum Gene Med.*, 16, 1413-21.
42. Tanaka S.I., Yamakawa T., Kimura M., Aoki I., Kamei J., Okuda K. & Mobbs C. (2004) Daily nasal inoculation with the insulin gene ameliorates diabetes in mice. *Diabetes Res Clin Pract.*, 63, 1-9.
43. Takenouchi H., Kiyokawa N., Taguchi T., Matsui J., Katagiri Y.U., Okita H., Okuda K. & Fujimoto J. (2004) Shiga toxin binding to globotriaosyl ceramide induces intracellular signals that mediate cytoskeleton remodeling in human renal carcinoma-derived cells. *J Cell Sci*, 117, 3911-22.
44. Someya K., Xin K.-Q., Matsuo K., Okuda K., Yamamoto N. & Honda M. (2004) A consecutive prime-boost vaccination of mice with simian immunodeficiency virus (SIV) gag/pol DNA and recombinant vaccinia virus DIs elicits effective anti-SIV immunity. *J Virol*, 78, 9842-53.
45. Sirivichayakul S., Tirawatnapong T., Ruxrungtham K., Oelrichs R., Lorenzen S.L., Xin K.-Q., Okuda K. & Phanuphak P. (2004) Construction and immunogenicity study of a 297-bp humanized HIV V3 DNA of an approximated last common ancestor in mice. *Asian Pac J Allergy Immunol.*, 22, 49-60.
46. Shinoda K., Xin K.-Q., Jounai N., Kojima Y., Tamura Y., Okada E., Kawamoto S., Okuda K., Klinman D. & Okuda K. (2004) Polygene DNA vaccine induces a high level of protective effect against HIV-vaccinia virus challenge in mice. *Vaccine*, 22, 3676-90.

47. Sasaki S., Takeshita F., Oikawa T., Kojima Y., Xin K.-Q., Okuda K. & Ishii N. (2004) Improvement of DNA vaccine immunogenicity by a dual antigen expression system. *Biochem Biophys Res Commun*, 315, 38-43.
48. Hinkula J., Rollman E., Lundholm P., Benthin R.M., Okuda K. & Wahren B. (2004) Genetic immunization with multiple HIV-1 genes provides protection against HIV-1/MuLV pseudovirus challenge *in vivo*. *Cells Tissues Organs*, 177.
49. Devito C., Zuber B., Schroder U., Benthin R., Okuda K., Brolden K., Wahren B. & Hinkula J. (2004) Intranasal HIV-1-gp160-DNA/gp41 peptide prime-boost immunization regimen in mice results in long-term HIV-1 neutralizing humoral mucosal and systemic immunity. *J Immunol*, 173, 7078-89.
50. Yamakawa T., Tanaka S., Kamei J., Kadonosono K. & Okuda K. (2003) Pitavastatin inhibits vascular smooth muscle cell proliferation by inactivating extracellular signal-regulated kinases 1/2. *J Atheroscler Thromb*, 10, 37-42.
51. Yamakawa T., Tanaka S., Kamei J., Kadonosono K. & Okuda K. (2003) Phosphatidylinositol 3-kinase in angiotensin II-induced hypertrophy of vascular smooth muscle cells. *Eur J Pharmacol*, 478, 39-46.
52. Xin K.-Q., Ooki T., Jounai N., Mizukami H., Hamajima K., Kojima y., Ohba K., Toda Y., Hirai S., Klinman D.M., Ozawa K. & Okuda K. (2003) A DNA vaccine containing inverted terminal repeats from adeno-associated virus increases immunity to HIV. *J Gene Med*, 5, 438-45.
53. Xin K.-Q., Hoshino Y., Toda Y., Igimi S., Kojima Y., Jounai N., Ohba K., Kushiro A., Kiwaki M., Hamajima K., Klinman D. & Okuda K. (2003) Immunogenicity and protective efficacy of orally administered recombinant *Lactococcus lactis* expressing surface-bound HIV Env. *Blood*, 102, 223-8.
54. Taniya T., Mitobe J., Nakayama S., Qi M., Okuda K. & Watanabe H. (2003) Determination of the InvE binding site required for expression of IpaB of the *Shigella sonnei* virulence plasmid: Involvement of a ParB BoxA-like sequence. *J Bacteriol*, 185, 5158-65.
55. Sasaki S., Takeshita F., Xin K.-Q., Ishii N. & Okuda K. (2003) Adjuvant formulations and delivery systems for DNA vaccines. *Methods*, 31, 243-54.
56. Kawamoto S., Sonoda T., Mochizuki C., Yamashita T., Watanabe K., Miyagi Y. & Okuda K. (2003) Glutamate receptor  $\alpha$ 2-mediated signal transduction through Delphilin: analysis by Biacore and a yeast two-hybrid system. In: *Biacore Journal*, Vol. 3, p. 12-4.
57. Jounai N., Okuda K., Kojima Y., Toda Y., Hamajima K., Ohba K., Klinman D. & Xin K.-Q. (2003) Contribution of the rev gene to the immunogenicity of

- DNA vaccines targetting the envelope glycoprotein of HIV. *J Gene Med*, 5, 609-17.
58. Hamajima K., Kojima Y., Matsui K., Toda Y., Jounai N., Ozaki T., Xin K.-Q., Strong P. & Okuda K. (2003) Chitin micro-particles (CMP) is a useful adjuvant for inducing viral specific immunity when delivered intranasally with an HIV-DNA vaccine. *Viral Immunol*, 16, 541-7.
  59. Xin K.-Q., Kumamoto Y., Jounai N., Kojima Y., Hamajima K. & Okuda K. (2002) Recombinant vaccinia virus (WR strain) may not be suitable for ex vivo stimulation. *Vaccine*, 21, 5-6.
  60. Xin K.-Q., Sasaki S., Kojima Y., Jounai N., Kumamoto Y., Hashimoto K., Shinoda K., Hamajima K. & Okuda K. (2002) Detection of progeny immune responses after intravenous administration of DNA vaccine to pregnant mice. *Biol Proced Online*, 3, 91-101.
  61. Xin K.-Q., Ooki T., Mizukami H., Hamajima K., Okudera K., Hashimoto K., Kojima Y., Jounai N., Kumamoto Y., Sasaki S., Klinman D., Ozawa. K. & Okuda K. (2002) Oral administration of recombinant adeno-associated virus elicits HIV-specific immune responses. *Hum Gene Ther*, 13, 1571-81.
  62. Senuma A., Hagiwara E., Nagahama K., Okuda K., Nakamura M., Fukumoto N., Shirai A., Tani K. & Ishigatubo Y. (2002) Therapeutic effect of CpG motifs on the development of chronic graft-versus-host disease in mice. *Cytokine*, 20, 23-9.
  63. Sasaki S., Takeshita F., Ishii N., Xin K.-Q. & Okuda K. (2002) How to amplify DNA-raised immune responses. *Current Trends in Immunology*, 4, 115-26.
  64. Sasaki S., Xin K.-Q., Okudela K., Okuda K. & Ishii N. (2002) Immunomodulation by apoptosis-inducing caspases for an influenza DNA vaccine delivered by gene gun. *Gene Ther*, 9, 828-31.
  65. Murata H., Tajima N., Nagashima Y., Yao M., Baba M., Goto M., Kawamoto S., Yamamoto I., Okuda K. & Kanno H. (2002) Von Hippel-Lindau tumor suppressor protein transforms human neuroblastoma cells into functional neuron-like cells. *Cancer Res*, 62, 7004-11.
  66. Miyagi Y., Yamashita T., Fukaya M., Sonoda T., Okuno T., Yamada K., Watanabe M., Nagashima Y., Aoki I., Okuda K., Mishina M. & Kawamoto S. (2002) Delphilin: a novel PDZ and formin homology domain-containing protein that synaptically colocalizes and interacts with glutamate receptor δ2 subunit. *J Neurosci*, 22, 803-14.
  67. Kojima Y., Xin K.-Q., Ooki T., Hamajima K., Oikawa T., Shinoda K., Ozaki T., Hoshino Y., Jounai N., Nakazawa M., Klinman D. & Okuda K. (2002) Adjuvant effect of multi-CpG motifs on an HIV-1 DNA vaccine. *Vaccine*, 20, 2857-65.

68. Kobayashi N., Koshino T., Uesugi M., Yokoo N., Xin K.-Q., Okuda K., Mizukami H., Ozawa K. & Saito T. (2002) Gene marking in adeno-associated virus vector infected periosteum derived cells for cartilage repair. *J Rheumatol*, 29, 2176-80.
69. Hamajima K., Hoshino Y., Xin K.-Q., Hayashi F., Tadokoro K. & Okuda K. (2002) Systemic and mucosal immune responses in mice after rectal and vaginal immunization with HIV-DNA vaccine. *Clin Immunol*, 102, 12-8.
70. Yoshida T., Okuda K., Xin K.-Q., Fukushima J., Toda S., Hagiwara E., Hamajima K., Koshino T. & Saito T. (2001) Activation of HIV-1-specific immune responses to an HIV-1 vaccine constructed from a replication-defective adenovirus vector using various combinations of immunization protocols. *Clin Exp Immunol*, 124, 445-52.
71. Xin K.-Q., Urabe M., Yang J., Nomiyama K., Mizukami H., Hamajima K., Nomiyama H., Saito T., Imai M., Monahan J., Okuda K., Ozawa K. & Okuda K. (2001) A novel recombinant adeno-associated virus vaccine induces a long-term humoral immune response to human immunodeficiency virus. *Hum Gene Ther*, 12, 1047-61.
72. Watabe S., Xin K.-Q., Ihata A., Liu L., Honsho A., Aoki I., Hamajima K., Wahren B. & Okuda K. (2001) Protection against influenza virus challenge by topical application of influenza DNA vaccine. *Vaccine*, 19, 4434-44.
73. Tsuji-Yamada J., Nakazawa M., Takahashi K., Iijima K., Hattori S., Okuda K., Minami M., Ikezawa Z. & Sasaki T. (2001) Effect of IL-12 encoding plasmid administration on tight-skin mouse. *Biochem Biophys Res Commun*, 280, 707-12.
74. Tadokoro K., Koizumi Y., Miyagi Y., Kojima Y., Kawamoto S., Hamjima K., Okuda K., Tanaka S., Onari K., Wahren B., Aoki I. & Okuda K. (2001) Rapid and Wide-reaching delivery of HIV-1 env DNA vaccine by intranasal administration. *Viral Immunology*, 14, 159-67.
75. Shigematsu T., Fukushima J., Oyama M., Tsuda M., Kawamoto S. & Okuda K. (2001) Iron-Mediated regulation of alkaline proteinase production in *Pseudomonas aeruginosa*. *Microbiol Immunol*, 45, 578-90.
76. Sasaki S., Takeshita F., Okuda K. & Ishii N. (2001) *Mycobacterium leprae* and leprosy: a compendium. *Microbiol Immunol*, 45, 729-36.
77. Okuda K., Xin K.-Q., Haruki A., Kawamoto S., Kojima Y., Hirahara F., Okada H., Klinman D. & Hamajima K. (2001) Transplacental genetic immunization after intravenous delivery of plasmid DNA to pregnant mice. *J Immunol*, 167, 5478-84.
78. Okuda K., Ishihara K., Nakagawa T., Hirayama A., Inayama Y. & Okuda K.

- (2001) Detection of *Treponema denticola* in atherosclerotic lesions. *J Clin Microbiol*, 39, 1114-7.
79. Okuda K., Ihata A., Watabe S., Okada E., Yamakawa T., Hamajima K., Yang J., Ishii N., Nakazawa M., Okuda K., Ohnari K., Nakajima K. & Xin K.-Q. (2001) Protective immunity against influenza a virus induced by immunization with DNA plasmid containing influenza M gene. *Vaccine*, 19, 3681-91.
80. Liu L.-J., Watabe S., Yang J., Hamajima K., Ishii N., Hagiwara E., Onari K., Xin K.-Q. & Okuda K. (2001) Topical application of HIV DNA vaccine with cytokine-expression plasmids induces strong antigen-specific immune responses. *Vaccine*, 20, 42-8.
81. Ishii N., Sugita Y., Liu L.-J., Watabe S., Toda S., Xin K.-Q. & Okuda K. (2001) Immunologic characterization of HIV-specific DNA vaccine. (sousetsu). *J Invest Dermatol*, 6, 76-80.
82. Ara Y., Saito T., Takagi T., Hagiwara E., Miyagi Y., Sugiyama M., Kawamoto S., Ishii N., Yoshida T., Hanashi D., Koshino T., Okada H. & Okuda K. (2001) Zymosan enhances the immune response to DNA vaccine for human immunodeficiency virus type-1 through the activation of complement system. *Immunology*, 103, 98-105.
83. Kusakabe K.-i., Xin K.-Q., Katoh H., Sumino K., Hagiwara E., Kawamoto S., Okuda K., Miyagi Y., Aoki I., Nishioka K. & Klinman D. (2000) The timing of GM-CSF expression plasmid administration influences the Th1/Th2 response induced by an HIV-1 specific DNA vaccine. *J. Immunol.*, 164, 3102-11.
84. Kawamoto S., Sonoda T., Ohtake A., Suzuki Y., Okuda K. & Tatibana M. (2000) Alteration in arginine activation of N-acetylglutamate synthetase in vitro by disulfide or thiol compounds. *J. Mol. Catal.*, 10, 191-7.
85. Kato H., Bukawa H., Hagiwara E., Xin K.-Q., Hamajima K., Kawamoto S., Sugiyama M., Sugiyama M., Noda E., Nishizaki M. & Okuda K. (2000) Rectal and vaginal immunization with a macromolecular multicomponent peptide vaccine candidate for HIV-1 infection induces HIV-specific protective immune responses. *Vaccine*, 18, 1151-60.
86. Hamajima K., Xin K.-Q., Fukushima J., Yang J., Honsho A., Nakazawa M., Yanoma S. & Okuda K. (2000) HIV-DNA vaccination following transfer of a large number of activated T cells enhances immunoresponses against HIV-1. *Viral. Immunol.*, 13, 3-8.
87. Hagiwara E., Okubo T., Aoki I., Ohno S., Tsuji T., Ihata A., Ueda A., Shirai A., Okuda K., Miyazaki J. & Ishigatubo Y. (2000) IL-12-encoding plasmid has a beneficial effect on spontaneous autoimmune disease in MRL/MP-Ipr/Ipr

- mice. *Cytokine*, 12, 1035-41.
88. Asakura Y., Liu L.-J., Shono N., Hinkula J., Kjerrstrom A., Aoki I., Okuda K., Wahren B. & Fukushima J. (2000) Th1-biased immune responses induced by DNA-based immunizations are mediated via action on professional antigen-presenting cells to up-regulate IL-12 production. *Clin Exp Immunol*, 119, 130-9.
89. Arai H., Xin K.-Q., Hamajima K., Lu Y., Watabe S., Takahashi T., Toda S., Okuda K., Kudoh I., Suzuki M. & Okuda K. (2000) 8 Br-cAMP enhances both humoral and cell-mediated immune responses induced by an HIV-1 DNA vaccine. *Gene Therapy*, 7, 694-702.
90. Yamanaka A., Hirai K., Kato T., Naito Y., Inami S., Okuda K., Kaneko T. & Okuda K. (1999) Disinfectant effects of taisalite and taifresh ace containing irgasan DP 300 against MRSA and HIV. *Bulletin of Tokyo Dental College*, 34, 167-71.
91. Xin K.-Q., Hamajima K., Hattori S., Cao X.-R., Kawamoto S. & Okuda K. (1999) Evidence of HIV type 1 glycoprotein 120 binding to recombinant N-methyl-D-aspartate receptor subunits expressed in a baculovirus system. *AIDS Res. Hum. Retrov.*, 15, 1461-7.
92. Xin K.-Q., Lu Y., Hamajima K., Fukushima J., Yang J., Inamura K. & Okuda K. (1999) Immunization of RANTES Expression Plasmid with a DNA Vaccine Enhances HIV-1-Specific Immunity. *Clinical Immunology*, 92, 90-6.
93. Xin K.-Q., Hamajima K., Sasaki S., Tsuji T., Watabe S., Okada E. & Okuda K. (1999) IL-15 expression plasmid enhances cell-mediated immunity induced by an HIV-1 DNA vaccine. *Vaccine*, 17, 858-66.
94. Shapshak P., Segal D.M., Crandall K.A., Fujimura R.K., Zhang B.T., Xin K.-Q., Okuda K., Petito C.K., Eisdorfer C. & Goodkin K. (1999) Independent evolution of HIV type 1 in different brain regions. *AIDS Res Hum Retrov*, 15, 811-20.
95. Sasaki S. & Okuda K. (1999) The use of conventional immunologic adjuvants in DNA vaccine preparations. In: *Methods in Molecular Medicine "DNA Vaccines: Methods and Protocols"* (ed. D. B. a. W. Lowrie, R. G.), Vol. 29, p. 241-9. Humana press, Totowa, NJ.
96. Sasaki S., Inamura K. & Okuda K. (1999) Genes that induce immunity —DNA vaccines. *Microbiol Immunol*, 43, 191-200.
97. Okuda K., Kawamoto S. & Fukushima J. (1999) Cytokine and costimulatory factor-encoding plasmids as adjuvants for DNA vaccination. In: *Methods in Molecular Medicine "DNA Vaccines: Methods and Protocols"* (ed. D. B. a. W. Lowrie, R. G.), Vol. 29, p. 197-204. Humana press, Totowa, NJ.

98. Okubo T., Hagiwara E., Ohno S., Tsuji T., Ihata A., Ueda A., Shirai A., Aoki I., Okuda K., Miyazaki J. & Ishigatubo Y. (1999) Administration of an IL-12-encoding DNA plasmid prevents the development of chronic graft-versus-host disease (GVHD). *J Immunol*, 162, 4013-7.
99. Lu Y., Xin K.-Q., Hamajima K., Tsuji T., Aoki I., Yang J., Sasaki S., Fukushima J., Yoshimura T., Toda S., Okada E. & Okuda K. (1999) Macrophage inflammatory protein-1 $\alpha$  (MIP-1 $\alpha$ ) expression plasmid enhances DNA vaccine-induced immune response against HIV-1. *Clin. Exp. Immunol.*, 115, 335-41.
100. Kawamoto S., Hattori S., Uchino S., Mishina M. & Okuda K. (1999) Expression of NMDA receptor channel subunit proteins using baculovirus and herpesvirus vectors. In: *Methods in Molecular Biology "NMDA Receptor Protocols"* (ed. M. Li), Vol. 128, p. 19-32. Humana Press Inc., Totowa, NJ.
101. Ihata A., Watabe S., Shirai A., Fukushima J., Hamajima K., Inoue J. & Okuda K. (1999) Immunomodulatory effect of a plasmid expressing CD40 ligand on DNA vaccination against human immunodeficiency virus type-1. *Immunology*, 98, 436-42.
102. Asakura Y., Lundholm P., Kjerrstrom A., Benthin R., Lucht E., Fukushima J., Schwartz S., Okuda K., Wahren B. & Hinkula J. (1999) DNA-plasmids of HIV-1 induce systemic and mucosal immune responses. *Biol Chem*, 380, 375-9.
103. Aoki I., Itoh S., Yokota S., Tanaka S., Ishii N., Okuda K., Minami M. & Klinman D.M. (1999) Contribution of mast cells to the T helper 2 response induced by simultaneous subcutaneous and oral immunization. *Immunology*, 98, 519-24.
104. You Z., Fukushima J., Tanaka K., Kawamoto S. & Okuda K. (1998) Induction of entry into the stationary growth phase in *Pseudomonas aeruginosa* by *N*-acylhomoserine lactone. *FEMS Microbiol Lett*, 164, 99-106.
105. Xin K.-Q., Hamajima K., Sasaki S., Honsho A., Tsuji T., Ishii N., Cao X.-R., Lu Y., Fukushima J., Shapshak P., Kawamoto S. & Okuda K. (1998) Intranasal administration of human immunodeficiency virus type-1 (HIV-1) DNA vaccine with interleukin-2 expression plasmid enhances cell-mediated immunity against HIV-1. *Immunology*, 94, 438-44.
106. Sasaki S., Fukushima J., Hamajima K., Ishii N., Tsuji T., Xin K.-Q., Mohri H. & Okuda K. (1998) Adjuvant effect of ubenimex on a DNA vaccine for HIV-1. *Clin. Exp. Immunol.*, 111, 30-5.
107. Sasaki S., Hamajima K., Fukushima J., Ihata A., Ishii N., Gorai I., Hirahara F., Mohri H. & Okuda K. (1998) Comparison of intranasal and intramuscular

- Immunization against human immunodeficiency virus type 1 with a DNA-monophosphoryl lipid A adjuvant vaccine. *Infect. Immun.*, 66, 823-6.
108. Sasaki S., Tsuji T., Asakura Y., Fukushima J. & Okuda K. (1998) The search for a potent DNA vaccine against AIDS: The enhancement of immunogenicity by chemical and genetic adjuvants. *Anti. Cancer Res.*, 18, 3907-16.
109. Sasaki S., Sumino K., Hamajima K., Fukushima J., Ishii N., Kawamoto S., Mohri H., Kensil C.R. & Okuda K. (1998) Induction of systemic and mucosal immune responses to human immunodeficiency virus type 1 by a DNA vaccine formulated with QS-21 saponin adjuvant via intramuscular and intranasal routes. *J Virol*, 72, 4931-9.
110. Putkonen P., Quesada-Rolander M., Leandersson A.C., Schwartz S., Thorstensson R., Okuda K., Wahren B. & Hinkula J. (1998) Immune responses but no protection against SHIV by gene-gun delivery of HIV-1 DNA followed by recombinant subunit protein boosts. *Virology*, 250, 293-301.
111. Miyajima Y., Hata Y., Fukushima J., Kawamoto S., Okuda K., Shibano Y. & Morihara K. (1998) Long-range effect of mutation of calcium binding asparates on the catalytic activity of alkaline protease from *Pseudomonas aeruginosa*. *J. Biochem.*, 123, 24-7.
112. Hamajima K., Sasaki S., Fukushima J., Kaneko T., Xin K.-Q., Kudoh I. & Okuda K. (1998) Intranasal administration of HIV-DNA vaccine formulated with a polymer, carboxymethylcellulose, augments mucosal antibody production and cell-mediated immune response. *Clin. Immunol. Immunopath.*, 88, 205-10.
113. Fukushima N., Kohno M., Kato T., Kawamoto S., Okuda K., Misu Y. & Ueda H. (1998) Melittin, a metabostatic peptide inhibiting G<sub>s</sub> activity. *Peptides*, 19, 811-9.
114. Ando N., Hirahara F., Fukushima J., Kawamoto S., Okuda K., Funabashi T., Gorai I. & Minaguchi H. (1998) Differential gene expression of TGF- $\beta$  isoforms and TGF- $\beta$  receptors during the first trimester of pregnancy at the human maternal-fetal interface. *Am. J. Reprod. Immunol.*, 40, 48-56.
115. Uchino S., Nakajima S., Okuda K., Mishina M. & Kawamoto S. (1997) Analysis of the glycine binding domain of the NMDA receptor channel  $\zeta 1$  subunit. *Neuroreport*, 8, 445-9.
116. Tsuji T., Hamajima K., Fukushima J., Xin K.-Q., Ishii N., Aoki I., Ishigatubo Y., Tani K., Kawamoto S., Nitta Y., Miyazaki J., Koff W.C., Okubo T. & Okuda K. (1997) Enhancement of cell-mediated immunity against HIV-1

- induced by coinoculation of plasmid-encoded HIV-1 antigen with plasmid expressing IL-12. *J. Immunol.*, 158, 4008-13.
117. Tsuji T., Hamajima K., Ishii N., Aoki I., Fukushima J., Xin K.-Q., Kawamoto S., Sasaki S., Matsunaga K., Ishigatubo Y., Tani K., Okubo T. & Okuda K. (1997) Immunomodulatory effects of a plasmid expressing B7-2 on human immunodeficiency virus-1-specific cell-mediated immunity induced by a plasmid encoding the viral antigen. *Eur. J. Immunol.*, 27, 782-7.
118. Tsuji T., Fukushima J., Hamajima K., Ishii N., Aoki I., Bukawa H., Ishigatubo Y., Tani K., Okubo T., Dorf M.E. & Okuda K. (1997) HIV-1-specific cell-mediated immunity is enhanced by co-inoculation of TCA3 expression plasmid with DNA vaccine. *Immunology*, 90, 1-6.
119. Toda S., Ishii N., Okada E., Kusakabe K.-I., Arai H., Hamajima K., Gorai I., Nishioka K. & Okuda K. (1997) HIV-1-specific cell-mediated immune responses induced by DNA vaccination were enhanced by mannan-coated liposomes and inhibited by anti-interferon- $\gamma$  antibody. *Immunology*, 92, 111-7.
120. Tanabe S., Heesen M., Yoshizawa I., Berman M.A., Luo Y., Bleul C.C., Springer T.A., Okuda K., Gerard N. & Dorf M.E. (1997) Functional expression of the CXC-chemokine receptor-4/fusin on mouse microglial cells and astrocytes. *J. Immunol.*, 159, 905-11.
121. Sasaki S., Fukushima J., Arai H., Kusakabe K.I., Hamajima K., Ishii N., Hirahara F., Okuda K., Kawamoto S., Ruysschaert J.M., Vandenbranden M., Wahren B. & Okuda K. (1997) Human immunodeficiency virus type-1-specific immune responses induced by DNA vaccination are greatly enhanced by mannan-coated diC14-amidine. *Eur J Immunol*, 27, 3121-9.
122. Sasaki S., Tsuji T., Hamajima K., Fukushima J., Ishii N., Kaneko T., Xin K.-Q., Mohri H., Aoki I., Okubo T., Nishioka K. & Okuda K. (1997) Monophosphoryl lipid A enhances both humoral and cell-mediated immune responses to DNA vaccination against human immunodeficiency virus type 1. *Infect Immun*, 65, 3520-8.
123. Okuda K., Xin K.-Q., Tsuji T., Bukawa H., Tanaka S., Koff W.C., Tani K., Okuda K., Honma K., Kawamoto S., Hamajima K. & Fukushima J. (1997) DNA vaccination followed by macromolecular multicomponent peptide vaccination against HIV-1 induces strong antigen-specific immunity. *Vaccine*, 15, 1049-56.
124. Okada E., Sasaki S., Ishii N., Aoki I., Yasuda T., Nishioka K., Fukushima J., Miyazaki J.-I., Wahren B. & Okuda K. (1997) Intranasal immunization of a DNA vaccine with IL-12-and granulocyte-macrophage colony-stimulating

- factor (GM-CSF)-expressing plasmids in liposomes induces strong mucosal and cell-mediated immune responses against HIV-1 antigens. *J. Immunol.*, 159, 3638-47.
125. Mor G., Singla M., Steinberg A.D., Hoffman S.L., Okuda K. & Klinman D.M. (1997) Do DNA vaccines induce autoimmune disease? *Hum Gene Ther*, 8, 293-300.
126. Mohri H., Asakura Y., Fukushima J., Kawamoto S., Okubo T. & Okuda K. (1997) Synthetic peptide from the V3 loop consensus motif with A potent anti-HIV activity inhibits ristocetin-mediated vWF-GPIb interaction. *Peptide*, 18, 1289-93.
127. Miyajima Y., Fukushima J., Kawamoto S., Okuda K., Shibano Y., Hata Y. & Morihara K. (1997) Site-directed mutagenesis of His-176 and Glu-177 in *Pseudomonas aeruginosa* alkaline protease: effect on catalytic activity. *J. Fermentation and Bioengineering*, 84, 588-90.
128. Kawamoto S., Uchino S., Xin K.-Q., Hattori S., Hamajima K., Fukushima J., Mishina M. & Okuda K. (1997) Arginine-481 mutation abolishes ligand-binding of the AMPA-selective glutamate receptor channel  $\alpha_1$ -subunit. *Mol. Brain Res.*, 47, 339-44.
129. Ishii N., Sugita Y., Nakajima H., Bukuwa H., Asakura Y. & Okuda K. (1997) Genetic control of immune responses to HIV-1 env DNA vaccine. *Microbiol. Immunol.*, 41, 421-5.
130. Ishii N., Fukushima J., Kaneko T., Okada E., Tani K., Tanaka S.-I., Hamajima K., Xin K.-Q., Kawamoto S., Koff W.C., Nishioka K., Yasuda T. & Okuda K. (1997) Cationic liposomes are a strong adjuvant for a DNA vaccine of human immunodeficiency virus type 1. *AIDS Res. Hum. Retrov.*, 13, 1421-8.
131. Honma K., Ishii N., Kato T., Ishihara K., Okuda K. & Okuda K. (1997) Genetic control of immune response to a synthetic fimbrial antigen of *Actinobacillus actinomycetemcomitans*. *Microbiol. Immunol.*, 41, 609-14.
132. Hinkula J., Svanholm C., Schwartz S., Lundholm P., Brytting M., Engstrom G., Benthin R., Glaser H., Sutter G., Kohleisen B., Erfle V., Okuda K., Wigzell H. & Wahren B. (1997) Recognition of prominent viral epitopes induced by immunization with human immunodeficiency virus type 1 regulatory genes. *J Virology*, 71, 5528-39.
133. Hamajima K., Fukushima J., Bukuwa H., Kaneko T., Tsuji T., Asakura Y., Sasaki S., Xin K.-Q. & Okuda K. (1997) Strong augment effect of IL-12 expression plasmid on the induction of HIV-specific cytotoxic T lymphocyte activity by a peptide vaccine candidate. *Clin. Immunol. Immunopath.*, 83,

- 179-84.
134. Fukushima J., Ishiwata T., You Z., Ishii T., Shigematsu T., Kurata M., Chikumaru F.S., Bycroft B.W., Stewart G.S., Kawamoto S., Morihara K., Williams P. & Okuda K. (1997) Dissection of the promoter/operator region and evaluation of N-acylhomoserine lactone mediated transcriptional regulation of elastase expression in *Pseudomonas aeruginosa*. *FEMS Microbiol Lett*, 146, 311-8.
135. Asakura Y., Hinkula J., Leandersson A.C., Fukushima J., Okuda K. & Wahren B. (1997) Induction of HIV-1 specific mucosal immune responses by DNA vaccination. *Scand J Immunol*, 46, 326-30.
136. You Z., Fukushima J., Ishiwata T., Chang B., Kurata M., Kawamoto S., Williams P. & Okuda K. (1996) Purification and characterization of LasR as a DNA-binding protein. *FEMS Microbiol Lett*, 142, 301-7.
137. Yamakawa T., Tanaka S.I., Yamakawa Y., Isoda F., Kawamoto S., Fukushima J., Minami M., Okuda K. & Sekihara H. (1996) Genetic control of in vivo tumor necrosis factor production in mice. *Clin Immunol Immunopathol*, 79, 256-62.
138. Yamakawa Y., Sugita Y., Nagatani T., Takahashi S., Yamakawa T., Tanaka S., Nakamura S., Ohno S., Sekihara H., Okuda K. & Nakajima H. (1996) Interleukin-6 (IL-6) in patients with Behcet's disease. *J Dermatol Sci*, 11, 189-95.
139. Shapshak P., Crandall K.A., Xin K.-Q., Goodkin K., Fujimura R.K., Bradley W., McCoy C.B., Nagano I., Yoshioka M., Petito C., Sun N.C., Srivastava A.K., Weatherby N., Stewart R., Delgado S., Matthews A., Douyon R., Okuda K., Yang J., ZhangI B.T., Cao X.R., Shatkovsky S., Fernandez J.B., Shah S.M. & Perper J. (1996) HIV-1 neuropathogenesis and abused drugs: current reviews, problems, and solutions. *Adv Exp Med Biol*, 402, 171-86.
140. Fukushima J., You Z., Kurata M. & Okuda K. (1996) Regulation of elastase and alkaline proteinase gene expression in *Pseudomonas aeruginosa*. In: *Mol Biol Pseudomonas*, p. 484-92. ASM Press, Washington DC.
141. Clark B.D., Ikejima T., Mancilla J., Orencole S.F., Sirko S.P., Ishii N., Okuda K. & Dinarello C.A. (1996) An antibody to a 17 amino acid synthetic peptide of the type I interleukin-1 receptor preferentially blocks interleukin-1  $\beta$  binding. *J. Interferon Cytokine Res.*, 16, 1079-88.
142. Asakura Y., Mohri H. & Okuda K. (1996) Perinatal transmission of HIV-1. *JAMA*, 276, 1300.
143. Asakura Y., Hamajima K., Fukushima J., Mohri H., Okubo T. & Okuda K.

- (1996) Induction of HIV-1 Nef-specific cytotoxic T lymphocytes by Nef-expressing DNA vaccine. *Am J Hematol*, 53, 116-7.
144. Yamakawa T., Tanaka S., Yamakawa Y., Kiuchi Y., Isoda F., Kawamoto S., Okuda K. & Sekihara H. (1995) Augmented production of tumor necrosis factor-alpha in obese mice. *Clin Immunol Immunopathol*, 75, 51-6.
145. Xin K.-Q., Shapshak P., Kawamoto S., Nagano I., McCoy C.B. & Okuda K. (1995) Highly divergent env sequences of HIV-1 B subtype with two novel V3 loop motifs detected in an AIDS patient in Miami, Florida. *Aids Res Hum Retroviruses*, 11, 1139-41.
146. Xin K.-Q., Ma X.H., Crandall K.A., Bukawa H., Ishigatubo Y., Kawamoto S. & Okuda K. (1995) Dual infection with HIV-1 Thai subtype B and E. *Lancet*, 346, 1372-3.
147. Okuda K., Bukawa H., Hamajima K., Kawamoto S., Sekigawa K., Yamada Y., Tanaka S., Ishi N., Aoki I. & Nakamura M. (1995) Induction of potent humoral and cell-mediated immune responses following direct injection of DNA encoding the HIV type 1 env and rev gene products. *AIDS Res Hum Retroviruses*, 11, 933-43.
148. Kawanishi C., Osaka H., Inoue K., Onishi H., Yamada Y., Sugiura N., Suzuki K., Hanihara T., Miyagawa T., Kimura S., Kawamoto S., Okuda K. & Kosaka K. (1995) New point mutation (R301X) of the  $\alpha$ -Galactosidase a gene causing Fabry disease. *Human Mutation*, 6, 186-7.
149. Kawamoto S., Uchino S., Hattori S., Hamajima K., Mishina M., Nakajima I.S. & Okuda K. (1995) Expression and characterization of the  $\zeta$ 1 subunit of the N-methyl-D-aspartate (NMDA) receptor channel in a baculovirus system. *Mol Brain Res*, 30, 137-48.
150. Kawamoto S., Hattori S., Sakimura K., Mishina M. & Okuda K. (1995) N-linked glycosylation of the  $\alpha$ -amino-3-hydroxy-5-methylisoxazole-4-propionate (AMPA)-selective glutamate receptor channel  $\alpha$ 2 subunit is essential for the acquisition of ligand-binding activity. *J Neurochem*, 64, 1258-66.
151. Hamajima K., Bukawa H., Fukushima J., Kawamoto S., Kaneko T., Sekigawa K., Tanaka S., Tsukuda M. & Okuda K. (1995) A macromolecular multicomponent peptide vaccine prepared using the glutaraldehyde conjugation method with strong immunogenicity for HIV-1. *Clin Immunol Immunopathol*, 77, 374-9.
152. Bukawa H., Fukushima J., Hamajima K., Kimura M., Tsuji T., Xin K.-Q. & Okuda K. (1995) Antibody responses raised against a conformational V3 loop peptide of HIV- 1. *Microbiol Immunol*, 39, 607-14.

153. Bukawa H., Sekigawa K., Hamajima K., Fukushima J., Yamada Y., Kiyono H. & Okuda K. (1995) Neutralization of HIV-1 by secretory IgA induced by oral immunization with a new macromolecular multicomponent peptide vaccine candidate. *Nat Med*, 1, 681-5.
154. Ueda A., Okuda K., Ohno S., Shirai A., Igarashi T., Matsunaga K., Fukushima J., Kawamoto S., Ishigatubo Y. & Okubo T. (1994) NF- $\kappa$  B and Sp1 regulate transcription of the human monocyte chemoattractant protein-1 gene. *J Immunol*, 153, 2052-63.
155. Ueda A., Kawamoto S., Igarashi T., Ishigatubo Y., Tani K., Okubo T. & Okuda K. (1994) Human monocyte chemoattractant protein-1 expressed in a baculovirus system. *Gene*, 140, 267-72.
156. Ubolyam S., Ruxrungtham, Sirivichayakul S., Okuda K. & Phanuphak P. (1994) Evidence of three HIV-1 subtypes in subgroups of individuals in Thailand. *Lancet*, 344, 485-6.
157. Sugita Y., Sasaki T., Okuda K. & Nakajima H. (1994) Practical use of polymerase chain reaction for the diagnosis of steroid induced tuberculous lymphadenitis. *J Trop Med Hyg*, 97, 65-8.
158. Shibano Y., Inagaki K., Fukushima J., Kawamoto S., Okuda K. & Morihara K. (1994) Signal peptidease cleavage site in the processing of *Pseudomonas aeruginosa* proelastase. *J Fermentation Bioengineering*, 78, 331-2.
159. Okuda K., Bukawa H., Kawamoto S., Imai M., Saito T., Phanuphak P. & Hamajima K. (1994) A serologic analysis and the amino acid sequence of the V3 region of human immunodeficiency virus from carriers in Bangkok. *J Infect Dis*, 169, 227-8.
160. Kawamoto S., Hattori S., Oiji I., Hamajima K., Mishina M. & Okuda K. (1994) Ligand-binding properties and N-glycosylation of  $\alpha$ 1 subunit of the  $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxazole-propionate (AMPA)-selective glutamate receptor channel expressed in a baculovirus system. *Eur J Biochem*, 223, 665-73.
161. Ishii T., Fukushima J., Fujita S., Shigematsu T., Ando N., Ishiwata T., Kurata M., Kawamoto S., Morihara K. & Okuda K. (1994) Elastase gene expression in non-elastase-producing *Pseudomonas aeruginosa* strains using novel shuttle vector systems. *FEMS Microbiol Lett*, 116, 307-13.
162. Hattori S., Okuda K., Hamajima K., Sakimura K., Mishina M. & Kawamoto S. (1994) Expression and characterization of the  $\alpha$ 2 subunit of the  $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA)-selective glutamate receptor channel in a baculovirus system. *Brain Res*, 666, 43-52.

163. Fukushima J., Ishiwata T., Kurata M., You Z. & Okuda K. (1994) Intracellular receptor-type transcription factor, LasR, contains a highly conserved amphipathic region which precedes the putative helix-turn-helix DNA binding motif. *Nucleic Acids Res*, 22, 3706-7.
164. Yamakawa Y., Sugita Y., Takahashi Y., Yamakawa T., Tanaka S., Nakamura S., Fukushima J., Kawamoto S., Ohno S., Okuda K. & Najajima H. (1993) Gene expression of tumour necrosis factor- $\alpha$  (TNF- $\alpha$ ) and heat-shock protein (HSP) 70 in patients with Behcet's disease. *Arch Dermatol Res*, 285, 505-8.
165. Xin K.Q., Morikawa S., Fang Z.Y., Mukoyama A., Okuda K. & Ushijima H. (1993) Genetic variation in VP7 gene of human rotavirus serotype 1 (G1 type) isolated in Japan and China. *Virology*, 197, 813-6.
166. Tanaka S., Inoue S., Isoda F., Waseda M., Ishihara M., Yamakawa T., Sugiyama A., Takamura Y. & Okuda K. (1993) Impaired immunity in obesity: suppressed but reversible lymphocyte responsiveness. *Int J Obes Relat Metab Disord*, 17, 631-6.
167. Sugita Y., Yamakawa Y., Takahashi K., Nagatani T., Okuda K. & Nakajima H. (1993) A polymerase chain reaction system for rapid diagnosis of scrub typhus within six hours. *Am J Trop Med Hyg*, 49, 636-40.
168. Sakata S., Takuno H., Ogawa T., Matsui I., Tanaka S. & Okuda K. (1993) Antigenic structure of human thyroglobulin-epitopes containing hormonogenic tyrosines. In: *80 years of Hashimoto Disease*, p. 437-43. Elsevier Science Publishers B. V.
169. Sakata S., Matsuda M., Takuno H., Ogawa T., Matsui I., Sarui H., Maekawa H., Kotani T., Okuda K., Tarutani O. & Miura K. (1993) Immune recognition of hormonogenic sites of human thyroglobulin: studies of Graves' sera and a murine monoclonal antibody with thyroid hormone antibody activity. *Endocr J*, 40, 393-8.
170. Sakata S., Tanaka S., Okuda K., Miura K., Manshouri T. & Atassi M.Z. (1993) Autoimmune T-cell recognition sites of human thyrotropin receptor in Graves' disease. *Mol Cell Endocrinol*, 92, 77-82.
171. Onishi H., Inoue K., Osaka H., Kimura S., Nagatomo H., Hanihara T., Kawamoto S., Okuda K., Yamada Y. & Kosaka K. (1993) Mitochondrial myopathy, encephalopathy, lactic acidosis and stroke-like episodes (MELAS) and diabetes mellitus: molecular genetic analysis and family study. *J Neurol Sci*, 114, 205-8.
172. Okuda K., Toda S., Watabe S., Tsukuda M., Ishigatubo Y. & Tani K. (1993) Methicillin-resistant *Staphylococcus aureus* (MRSA) infections in

- hospitals. *Yokohama Med. Bull.*, 44, 79-85.
173. Okuda K., Kaneko T., Yamakawa T., Tanaka S., Hamajima K., Shigematsu T., Yamamoto A. & Kawamoto S. (1993) Strong synergistic effects of multicomponent vaccine for human immunodeficiency virus infection. *J Clin Lab Immunol*, 40, 97-113.
174. Okuda K., Kaneko T., Yamakawa T., Tanaka S., Shigematsu T., Yamamoto A., Hamajima K., Nakajima K., Kawamoto S. & Phanuphak P. (1993) Strong immunogenicity of a multicomponent peptide vaccine developed with the branched lysine oligopeptide method for human immunodeficiency virus infection. *J Mol Recognit*, 6, 101-9.
175. Okuda K. & Kaneko T. (1993) Strong synergistic effects of polyvalent vaccine using synthetic peptide for human immunodeficiency virus. *AIDS Res Hum Retrov*, 9 Suppl, S114.
176. Nishio M., Isobe Y., Hatano H., Ohno S., Okuda K. & Ishii N. (1993) The genetic effect of engineered vaccine on *Pseudomonas aeruginosa* infection in mice. *Immunogenetics*, 38, 280-2.
177. Kawamoto S., Hattori S., Oiji I., Ueda A., Okuda K., Fukushima J., Sakimura K. & Mishina M. (1993) Expression of the  $\alpha$ 1 and  $\alpha$ 2 subunits of the AMPA-selective glutamate receptor channel in insect cells using a baculovirus vector. *Ann NY Acad Sci*, 707, 460-2.
178. Kawamoto S., Shibano Y., Fukushima J., Ishii N., Morihara K. & Okuda K. (1993) Site-directed mutagenesis of Glu-141 and His-223 in *Pseudomonas aeruginosa* elastase: catalytic activity, processing, and protective activity of the elastase against *Pseudomonas* infection. *Infect Immun*, 61, 1400-5.
179. Kawamoto S., Amaya Y., Hattori S., Miyagi Y., Onishi H. & Okuda K. (1993) Structural analysis of an extremely long 5'-noncoding region of rat brain argininosuccinate lyase mRNA: presence of multiple B1 repeats and multiple upstream AUG codons, and a possibility of translational control. *Biochim Biophys Acta*, 1173, 111-4.
180. Takeuchi H., Shibano Y., Morihara K., Fukushima J., Inami S., Keil B., Gilles A.-M., Kawamoto S. & Okuda K. (1992) Structural gene and complete amino acid sequence of *Vibrio alginolyticus* collagenase. *Biochem J*, 281, 703-8.
181. Sugita Y., Nagatani T., Okuda K., Yoshida Y. & Nakajima H. (1992) Diagnosis of typhus infection with *Rickettsia tsutsugamushi* by polymerase chain reaction. *J Med Microbiol*, 37, 357-60.
182. Ushijima H., Nakate H., Kohno H. & Okuda K. (1991) Evaluation of a new human immunodeficiency virus (HIV) antibody detection method based on

- time-resolved fluoroimmunoassay. *J Immunol Methods*, 144, 57-61.
183. Tanaka E., Kawamoto S., Fukushima J., Hamajima K., Onishi H., Miyagi Y., Inami S., Morihara K. & Okuda K. (1991) Detection of elastase production in *Escherichia coli* with the elastase structural gene from several non-elastase-producing strains of *Pseudomonas aeruginosa*. *J Bacteriol*, 173, 6153-8.
184. Sakata S., Ogawa T., Kimata Y., Takuno H., Maekawa H., Matsuda M., Tarutani O. & Okuda K. (1991) Synthesis and examination of antigenicity of four hormonogenic sites and two non-hormonogenic sites of human thyroglobulin. *Mol Cell Endocrinol*, 79, 93-8.
185. Kawamoto S., Onishi H., Hattori S., Miyagi Y., Amaya Y., Mishina M. & Okuda K. (1991) Functional expression of the  $\alpha$ 1 subunit of the AMPA-selective glutamate receptor channel, using a baculovirus system. *Biochem Biophys Res Commun*, 181, 756-63.
186. Inami S., Taniguchi N., Ishibashi K., Nagao T., Aoki I., Ishii N. & Okuda K. (1991) Serum antibody directed against synthetic peptides derived from HIV-1 protein sequence obtained from 26 Japanese HIV-1-infected individuals. *AIDS*, 5, 1140-1.
187. Tanaka S., Nakajima S., Inoue S., Takamura Y., Aoki I. & Okuda K. (1990) Genetic control by I-A subregion in H-2 complex of incidence of streptozocin-induced autoimmune diabetes in mice. *Diabetes*, 39, 1298-304.
188. Okuda K., Morihara K., Atsumi Y., Takeuchi H., Kawamoto S., Kawasaki H., Suzuki K. & Fukushima J. (1990) Complete nucleotide sequence of the structural gene for alkaline proteinase from *Pseudomonas aeruginosa* IFO 3455. *Infect Immun*, 58, 4083-8.
189. Kawai T., Katoh K., Tani K., Okuda K. & Okubo T. (1990) HLA antigens in Japanese patients with central nervous system lupus. *Tissue Antigens*, 35, 45-6.
190. Fukushima J., Takeuchi H., Tanaka E., Hamajima K., Sato Y., Kawamoto S., Morihara K., Keil B. & Okuda K. (1990) Molecular cloning and partial DNA sequencing of the collagenase gene of *Vibrio alginolyticus*. *Microbiol Immunol*, 34, 977-84.
191. Takahashi T., Mitsuda T. & Okuda K. (1989) An alternative nonradioactive method for labeling DNA using biotin. *Anal Biochem*, 179, 77-85.
192. Okuda K., Fukushima J., Kawamoto S. & Aoki I. (1989) Activation of I-A gene products by A gene transfection using bovine papilloma virus-vector systems in H-2 antigens. In: *Genes, Molecules, and Function* (ed. C. S.

- David), p. 275-82. Plenum Press, NY.
193. Morihara K., Fukushima J. & Okuda K. (1989) Primary structure of *Pseudomonas aeruginosa* elastase. A comparison with thermolysin. *Antibiot Chemother*, 42, 36-41.
194. Kawamoto S., Kaneko T., Mizuki N., Ohsuga A., Fukushima J., Amaya Y., Mori M. & Okuda K. (1989) Molecular cloning and nucleotide sequence of rat brain argininosuccinate lyase cDNA with an extremely long 5'-untranslated sequence: evidence for the identity of the brain and liver enzymes. *Brain Res Mol Brain Res*, 5, 235-41.
195. Hikawa N., Horie H., Kawakami T., Okuda K. & Takenaka T. (1989) Introduction of macromolecules into primary cultured neuronal cells by fusion with erythrocyte ghosts. *Brain Res*, 481, 162-4.
196. Fukushima J., Yamamoto S., Morihara K., Atsumi Y., Takeuchi H., Kawamoto S. & Okuda K. (1989) Structural gene and complete amino acid sequence of *Pseudomonas aeruginosa* IFO 3455 elastase. *J Bacteriol*, 171, 1698-704.
197. Dairaku M., Tsuchie H., Ushijima H., Aoki I., Okuda K., Honda M., Ikegami N., Hachimori K., Matsuda J. & Kitamura T. (1989) Incidence and titer of anti-rev antibody in HIV infection. *AIDS*, 3, 765-6.
198. Atsumi Y., Yamamoto S., Morihara K., Fukushima J., Takeuchi H., Mizuki N., Kawamoto S. & Okuda K. (1989) Cloning and expression of the alkaline proteinase gene from *Pseudomonas aeruginosa* IFO 3455. *J Bacteriol*, 171, 5173-5.
199. Yanoma S., Aoki I., Ishii N., Tani K., David C.S. & Okuda K. (1988) The role of autoreactive T-cell hybridomas from autoimmune model mice. *Immunology*, 64, 113-9.
200. Yamamoto S., Fukushima J., Atsumi Y., Takeuchi H., Kawamoto S., Okuda K. & Morihara K. (1988) Cloning and characterization of elastase structural gene from *Pseudomonas aeruginosa* IFO 3455. *Biochem Biophys Res Commun*, 152, 1117-22.
201. Okuda K., Tani K., Ishigatubo Y., Kato K., Atsumi Y., Kawai T., Ishii N., Aoki I. & Okubo T. (1988) Three deferent types of monoclonal anti-allotypic antibodies against the teterminant of immunogloblin supergene family of the antigen-specific suppressor T-cell factor. *Yokohama Med. Bull.*, 39, 67-72.
202. Ishii N., Aoki I., Ishii T., Mizuki N., Okuda K. & Nakajima H. (1988) Suppressor T cells in mice made unresponsive to skin allografts. *J Invest Dermatol*, 91, 333-5.

203. Ishii N., Ichiyama S., Ishii T., Aoki I., Okuda K. & Nakajima H. (1988) Genetic control of delayed-type hypersensitivity to D-penicillamine antigen. *Int Arch Allergy Appl Immunol*, 85, 150-3.
204. Fukushima J., Tani K., Atsumi Y., Hamajima K., Kawamoto S. & Okuda K. (1988) Trans-activation of class II (I-A $\alpha$ ) gene by I-A $\beta$  gene transfection using bovine papilloma virus as a shuttle vector system. *J Immunol*, 141, 302-7.
205. Ishii N., Kawaguchi H., Aoki I., Takahashi T., Okuda K. & Nakajima H. (1987) Delayed-type hypersensitivity to allogeneic mouse epidermal cell antigens. III. Analysis of suppressor cells. *Exp Clin Immunogenet*, 4, 48-55.
206. Aoki I., Ishii N., Minami M., Misugi K., Dorf M.E. & Okuda K. (1987) Analysis of alloantigen-specific suppressor T cells. *Transplantation*, 43, 888-92.
207. Aoki I., Ishii N., Minami M., Nagashima Y., Misugi K. & Okuda K. (1987) Induction of suppressor T cells by intravenous administration of monoclonal anti-I-A antibody. *Transplantation*, 44, 421-5.
208. Tani K., Sakamoto H., Katoh K., Matsunagai K., Yamada S., Okuda K. & Handwerger B.S. (1986) Establishment of monoclonal antibodies which possess the same characteristics as the naturally occurring thymocytotoxic autoantibodies (NTA). *Rheumatol Int*, 6, 19-24.
209. Takahashi T., Mitsuda T., Hikawa N., Ishii N. & Okuda K. (1986) A simple and effective apparatus for Southern-, Northern-, and Western reactions and the following procedures. *Can J Med Tech*, 48, 216-8.
210. Takahashi T., Ishii N., Aoki I. & Okuda K. (1986) A simple and effective technique for washing filter strips. *Can J Med Tech*, 48, 161-3.
211. Sakata S., Okuda K., Aihara Y., Tanaka Y., Nakamura S., Komaki T., Tarutani O. & Miura K. (1986) Genetic control of the production of anti-thyroid hormone antibodies in mice immunized with human thyroglobulin. *Immunol Invest*, 15, 481-92.
212. Kasai N., Arata S., Mashimo J., Okuda K., Aihara Y., Kotani S., Takada H., Shiba T., Kusumoto S., Imoto M., Yoshimura H. & Shimamoto T. (1986) Synthetic Salmonella-type lipid A antigen with high serological specificity. *Infect Immun*, 51, 43-8.
213. Ishii N., Nakajima H., Aoki I., Ishii T., Takahashi T. & Okuda K. (1986) Delayed-type hypersensitivity to allogeneic mouse epidermal cell antigens. I. Lyt-1+2- T cells are important for DTH. *Immunogenetics*, 23, 351-6.
214. Hagiya M., Davis D.D., Takahashi T., Okuda K., Raschke W.C. & Sakano H. (1986) Two types of immunoglobulin-negative Abelson murine leukemia

- virus- transformed cells: implications for B-lymphocyte differentiation. *Proc Natl Acad Sci USA*, 83, 145-9.
215. Sakata S., Nakamura S., Komaki T., Aihara Y. & Okuda K. (1985) Preparation of Ir-gene(s) of the production of anti-thyroid hormone anti-bodies. In: *Autoimmunity and thymus*, p. 359-64. Academic Press.
216. Saburi Y., Takahashi A., Takahashi T. & Okuda K. (1985) A ten-year study of antibiotic susceptibility of *Staphylococcus aureus* at a children's hospital. *Yokohama Med. Bull.*, 36, 18-24.
217. Saburi Y., Takahashi T. & Okuda K. (1985) Seasonal prevalence of erythema infectiosum. *J Dermatol*, 12, 375-6.
218. Mashimo J., Yoshida M., Ikeuchi K., Hata S., Arata S., Kasai N., Okuda K. & Takazoe I. (1985) Fatty acid composition and Shwartzman activity of lipopolysaccharides from oral bacteria. *Microbiol Immunol*, 29, 395-403.
219. Katoh K., Matsunaga K., Ishii N., Okubo T. & Okuda K. (1985) Epidermal cells bearing both I-A and I-E subregion antigens can induce hen egg white lysozyme-specific T lymphocyte proliferation. *J Dermatol*, 12, 20-30.
220. Kasai N., Arata S., Mashimo J., Okuda K., Aihara Y., Kotani S., Takada H., Shiba T. & Kusumoto S. (1985) In vitro antigenic reactivity of synthetic lipid A analogues as determined by monoclonal and conventional antibodies. *Biochem Biophys Res Commun*, 128, 607-12.
221. Ishii N., Aoki I., Aihara Y., Hikawa N., Takahashi T. & Okuda K. (1985) Analysis of hen egg white lysozyme (HEL)-specific delayed type hypersensitivity hybridomas. *Hybridoma*, 4, 311-8.
222. Saburi Y., Uno F., Akatsuka K., Uno N., Kumon H., Takahashi T. & Okuda K. (1984) Ultrastructures of leuco-adsorption on monolayers infected with influenza virus. *Microbiol Immunol*, 28, 913-21.
223. Okuda K., Saito H., Aihara Y., Minami M. & Tadokoro I. (1984) 4-Hydroxy-3-nitrophenyl (NP) acetyl-hapten specific lymphocyte proliferation. I. Mice bearing IgH-1b allotype can cross-react with 4-hydroxy-5-iodo-3-nitrophenyl (NIP) acetyl hapten. *Microbiol Immunol*, 28, 471-9.
224. Okuda K., Nagaoka S., Katoh K., Matsunaga K., Ishigatubo Y., Minami M. & Tani K. (1984) Abnormalities of third-order suppressor T cells in old (New Zealand black x New Zealand white) F1 mice. *Immunology*, 53, 553-61.
225. Nagatani T., Tanaka M., Nakajima H., Nagai R., Aihara Y., Matsunaga K., Katoh K., Minami M. & Okuda K. (1984) Establishment of T cell hybridomas which produce suppressor factors specific to the hen egg-white lysozyme (HEL). *Jpn J Exp Med*, 54, 1-8.

226. Sherr D.H., Minami M., Okuda K. & Dorf M.E. (1983) Analysis of T cell hybridomas. III. Distinctions between two types of hapten-specific suppressor factors that affect plaque-forming cell responses. *J Exp Med*, 157, 515-29.
227. Minami M., Okuda K., Furusawa S. & Dorf M.E. (1983) Analysis of T cell hybridomas. IV. Characterization of inducible suppressor cell hybridomas. *J Exp Med*, 157, 1379-95.
228. Matsunaga K., Tani K., Katoh K., Ishigatsubo Y., Iwaku T., Tadokoro I. & Okuda K. (1983) Genetic control of PQ prolongation of the electrocardiogram in the mouse immunized with the killed group A streptococci. *J Immunogenet*, 10, 31-9.
229. Dorf M.E., Okuda K. & Minami M. (1983) Use of T cell hybridomas to analyze a suppressor cell cascade. In: *T Cell Hybridomas*, p. 179-87. Cre Press Roca Ronton.
230. Aihara Y., Sakata S., Nakamura S., Kamikubo K., Tarutani O., Yamada S., Tadokoro I. & Okuda K. (1983) Genetic control of mouse antibody production to human thyroglobulin. *J Immunogenet*, 10, 325-31.
231. Aihara Y., Tadokoro I., Katoh K., Minami M. & Okuda K. (1983) T cell allotypic determinants encoded by genes linked to the immunoglobulin heavy chain locus. I. Establishment of monoclonal antibodies against allotypic determinants. *J Immunol*, 130, 2920-5.
232. Taniguchi N., Usui M., Okuda K. & Matuhasi T. (1982) Hapten-pullulan conjugate-induced CMI suppression: demonstration of a common pathway of suppressor cells involving idiotypic interactions. *J Immunol*, 129, 1816-22.
233. Okuda K., Ishii N., Ikezawa Z., Takahashi T., Arai K. & Tadokoro I. (1982) Delayed-type hypersensitivity to hen egg-white lysozyme. I. The surface phenotypes of suppressor T cells induced by intravenous injection of lysozyme-modified spleen cells, and their molecular interactions. *Microbiol Immunol*, 26, 897-911.
234. Minami M., Okuda K., Sunday M.E. & Dorf M.E. (1982) H-2K-, H-21- and H-2D-restricted hybridoma contact sensitivity effector cells. *Nature*, 297, 231-3.
235. Matsunaga K., Katoh K., Takahashi T., Sakamoto H., Tani K., Okuda K., Tadokoro I. & Kitamura H. (1982) The experimental myocarditis of mice immunized with group A streptococcal cytoplasmic membrane fraction extracted from L-forms. *Jpn J Exp Med*, 52, 267-70.
236. Dorf M.E., Okuda K. & Minami M. (1982) Dissection of a suppressor cell

- cascade. *Curr Top Microbiol Immunol*, 100, 61-7.
237. Okuda K., Minami M., Furusawa M. & Dorf M.E. (1981) Analysis of T cell hybridomas. II. Comparisons among three distinct types of monoclonal suppressor factors. *J Exp Med*, 154, 1838-51.
238. Okuda K., Minami M., Ju S.T. & Dorf M.E. (1981) Functional association of idiotypic and I-J determinants on the antigen receptor of suppressor T cells. *Proc Natl Acad Sci U S A*, 78, 4557-61.
239. Okuda K., Minami M., Sherr D.H. & Dorf M.E. (1981) Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. XI. Pseudogenetic restrictions of hybridoma suppressor factors. *J Exp Med*, 154, 468-79.
240. Minami M., Okuda K., Furusawa S., Benacerraf B. & Dorf M.E. (1981) Analysis of T cell hybridomas. I. Characterization of H-2 and IgH-restricted monoclonal suppressor factors. *J Exp Med*, 154, 1390-402.
241. Ishii N., Ikezawa Z., Nagai R., Tani K., Ishigatubo Y. & Okuda K. (1981) Genetic control of contact hypersensitivity. II. Suppressor cells induced by intravenous injection of DNP-coupled syngeneic spleen cells possessing thy-1 antigen, I-J determinant, Lyt-2+, 3+ antigen, FcR- and DNP-membrane binding receptor on their surfaces. *Microbiol Immunol*, 25, 63-70.
242. Ikezawa Z., Sato M., Nagai R. & Okuda K. (1981) Cell surface expression of I-A products is required for contact sensitivity induction by trinitrophenyl-coupled epidermal cells. *Microbiol Immunol*, 25, 1335-44.
243. Takahashi T., Nakatsuka S., Okuda K. & Tadokoro I. (1980) Preservation of bacterial L-forms by freezing. *Jpn J Exp Med*, 50, 313-8.
244. Okuda K., Tani K., Ishigatubo Y., Yokota S. & David C.S. (1980) Antigen-pulsed neutrophils bearing Ia antigens can induce T lymphocyte proliferative response to the syngeneic or semisyngeneic antigen-primed T lymphocytes. *Transplantation*, 30, 368-72.
245. Okuda K., Ishiwara K., Noguchi Y., Takahashi T. & Tadokoro I. (1980) New type of antibody-enzyme conjugate which specifically kills *Candida albicans*. *Infect Immun*, 27, 690-2.
246. Okuda K., Ishii N., Ikezawa Z., Tani K. & Ishigatubo Y. (1980) Genetic control of contact hypersensitivity. I. I-A subregion as well as non-H-2 loci codes for the gene of 2,4-dinitro-1-fluorobenzene antigen. *Eur J Immunol*, 10, 969-71.
247. Okuda K., Neely B.C. & David C.S. (1979) Expression of H-2 and Ia antigens on mouse peritoneal neutrophils. *Transplantation*, 28, 354-6.
248. Okuda K., Sakata S., Atassi M.Z. & David C.S. (1979) Genetic control of the immune response to hen's egg-white lysozyme in mice. I. Antibody and

- T-lymphocyte proliferative responses to the native protein. *J Immunogenet*, 6, 447-52.
249. Okuda K., Twining S.S., David C.S. & Atassi M.Z. (1979) Genetic control of immune response to sperm whale myoglobin in mice. II. T lymphocyte proliferative response to the synthetic antigenic sites. *J. Immunol.*, 123, 182-8.
250. Okuda K., Christadoss P.R., Twining S., Atassi M.Z. & David C.S. (1978) Genetic control of immune response to sperm whale myoglobin in mice. I. T lymphocyte proliferative response under H-2-linked Ir gene control. *J Immunol*, 121, 866-8.
251. Okuda K., Neely B.C., Hilgers J. & David C.S. (1978) Immune response-associated antigens on mouse leukemia cells. II. Anti-Ia sera inhibit the MLR reaction between normal GR spleen cells and syngeneic spleen cells of GRSL tumor-bearing mice. *Transplantation*, 26, 300-3.
252. Okuda K. & David C.S. (1978) A new lymphocyte-activating determinant locus expressed on T cells, and mapping in I-C subregion. *J Exp Med*, 147, 1028-37.
253. Okuda K., Cullen S.E., Hilgers J. & David C. (1978) Immune response-associated antigens on mouse leukemia cells. I. Detection of Ia antigens on GRSL cells. *Transplantation*, 26, 153-6.
254. David C.S., Schwartz B.J., Okuda K., Cullen S.E., Hilger J. & Schwartz R.H. (1978) Expression of Ia antigens on I cell leukemias and thymocytes. In: *Ir Genes and Ia Antigens* (ed. H. E. McDevitt), p. 111-20. Academic Press.
255. Saburi Y., Okuda K., Takahashi T. & Tadokoro I. (1977) Electron microscopic study of hemadsorption on vaccinia virus infected cells. *Microbiol Immunol*, 21, 593-600.
256. Okuda K., David C.S. & Shreffler D.C. (1977) The role of gene products of the I-J subregion in mixed lymphocyte reactions. *J Exp Med*, 146, 1561-73.
257. Okuda K., Takahashi T., Tadokoro I. & Eda T. (1977) Studies on the minimum reproducible unit of staphylococcal L-forms. *Microbiol Immunol*, 21, 1-10.
258. Takahashi T., Suzuki K., Okuda K., Tadokoro I. & Saburi Y. (1976) [Ultrastructural study of the adsorption of lymphocytes on cells infected by vaccinia virus] Etude ultrastructurale de l'adsorption de lymphocytes sur les cellules infectées par du virus vaccinal. *C R Seances Soc Biol Fil*, 170, 1126-8.
259. Sekido M., Ohtani T., Okuda K. & Tadokoro I. (1976) Studies on HLA antigens in patients with Behcet's syndrome. *Yokohama Med. Bull.*, 27, 1-8.

260. Okuda K., Tadokoro I. & Noguchi Y. (1976) Phagocytosis of *Candida albicans* by neutrophils. In: *Yeast and Yeast-like Organisms in Medical Science*, p. 339-45.
261. Okuda K., Takahashi T., Tadokoro I. & Noguchi Y. (1976) Effects of cytochalasin B and dibutyryl cyclic AMP on intraleukocytic bactericidal activity. *Jpn J Exp Med*, 46, 101-10.
262. Tadokoro I. & Okuda K. (1975) The role of contractile microfilaments in the intracellular microbiological activity of neutrophils. *Yokohama Med. Bull.*, 26, 153-9.
263. Okuda K., Tadokoro I. & Noguchi Y. (1975) Regulation of intracellular bactericidal activity. In: *1st ISC-IAMS Proceedings*, Vol. 3, p. 197-203.
264. Okuda K. (1975) Effects of cytochalasin B on the intracellular bactericidal activity of human neutrophils. *Antimicrob Agents Chemother*, 7, 736-41.
265. Okuda K., Tadokoro I. & Noguchi Y. (1975) The metabolic and phagocytic activities of leukocytes from patients receiving corticosteroid and radiation therapy, and patients with bacterial infections. *Jpn J Microbiol*, 19, 105-13.
266. Okuda K., Okamoto R., Noguchi Y. & Tadokoro I. (1975) An investigation of leukocyte function and phagocytosis of immune complexes in patients with rheumatoid arthritis. *Jpn J Exp Med*, 45, 1-10.
267. Okuda K., Tadokoro I. & Noguchi Y. (1975) Intraleukocytic bactericidal activity in patients receiving corticosteroid and radiation therapy, and in patients with diabetes mellitus. *Jpn J Microbiol*, 19, 97-103.
268. Okuda K., Tadokoro I. & Noguchi Y. (1974) Phagocytosis of *Candida albicans* by neutrophils. In: *The Proceedings of Yeast and Yeast-like Organisms*, p. 138-9.
269. Okuda K., Tadokoro I. & Sekido M. (1974) The NBT test in Behcet's syndrome. *N Engl J Med*, 290, 915-6.
270. Okuda K., Tadokoro I. & Noguchi Y. (1974) Nitroblue tetrazolium (NBT)-dye test and the myeloperoxidase reaction of human leukocytes. *Jpn J Microbiol*, 18, 337-42.
271. Okuda K., Tadokoro I. & Noguchi Y. (1972) Phagocytosis of *Candida albicans* by Neutrophils. In: *Proceedings of the Second International Specialized Symposium on Yeast* (ed. K. Iwata), p. 339-42. University of Tokyo Press, Tokyo.